

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... MAY 17 1977

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAY 17 1977

The applicant..... Alvin B. and Marilyn L. Smith  
.....  
4081 Kings Canyon Road....., of..... Carson City.....  
Street and No. or P.O. Box No. City or Town  
Nevada 89701....., hereby make..... application for permission to appropriate the public  
State and Zip Code No.  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... an underground source.....  
Name of stream, lake or other source.
2. The amount of water applied for is..... 0.10..... second-feet  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet..... N.A..... acre-feet
3. The water to be used for..... Quasi municipal - domestic use for two residences.....  
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:  
(a) Irrigation (state number of acres to be irrigated)..... N.A.....  
(b) Stockwater (state number and kinds of animals to be watered)..... N.A.....  
(c) Other use (describe fully under "No. 12. Remarks")..... N.A.....  
(d) Power:  
(1) Horsepower developed..... N.A.....  
(2) Point of return of water to stream..... N.A.....
5. The water is to be diverted from its source at the following point: in the NE $\frac{1}{4}$  of the NE $\frac{1}{4}$  of  
Section 23, T. 15 N., R. 19 E., M.D.B. & M., Carson City, Nevada.  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
at a point from which the NE corner of said Section 23 bears N.  
it should be stated. 47° 00' 18" E., a distance of 1736.49 feet
6. Place of use..... a parcel of land, 3.620 acres in size situated in the  
Describe by legal subdivision, if on unsurveyed land it should be so stated.  
NE $\frac{1}{4}$  of the NE $\frac{1}{4}$  of Section 23, T. 15 N., R. 19 E., M.D.B. & M.,  
Carson City, Nevada.
7. Use will begin about..... January 1..... and end about..... December 31....., of each year.  
Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled well, submersible pump,  
and piped distribution system.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works. \$ 1,500.00
10. Estimated time required to construct works. 3 months
11. Estimated time required to complete the application to beneficial use. 6 months
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

N.A.

Applicant s/ Alvin B. Smith  
 Pro. 8/31/77 by Arvin E. & Wanda L.  
 Boerlin et al By s/ Robert L. Fuller  
 Overruled; See Ruling #2273 - 11/15/77 Robert L. Fuller, Agent  
 Compared mm/ga bl/dc Post Office Box 517  
 Carson City, Nevada 89701

## APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is further subject to the terms and conditions set forth in the State Engineer's Ruling #2273 dated 11-15-77. Records of water placed to beneficial use shall be submitted to the State Engineer on an annual basis.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 0.73 million gallons annually.

Actual construction work shall begin on or before February 21, 1978

Proof of commencement of work shall be filed before March 21, 1978

Work must be prosecuted with reasonable diligence and be completed on or before February 21, 1978

Proof of completion of work shall be filed before March 21, 1978

Application of water to beneficial use shall be made on or before February 21, 1980

Proof of the application of water to beneficial use shall be filed on or before March 21, 1980

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD  
 Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of  
 Proof of beneficial use filed my office, this 21st day of DECEMBER  
 Cultural map filed  
 Certificate No. Issued A.D. 19 77  
 Recorded Bk. Page

County Recorder

WITHDRAWN BY APPLICANT

APR 20 1978

State Engineer